
KEMET Part Number: PMR209MC6100M100R30

(P409CE104M250AH101)



Capacitor, film, 0.1 uF, +/-20% Tol, -40/+85C, Capacitor with Integrated Resistor (Safety: X2), 630V@85C, Lead Spacing=20.3 mm



Dimensions (mm)			
Symbol	Dimension	Tolerance	
L	24	Max	
Н	14	Max	
Т	7.6	Max	
S	20.3	+/-0.4	
LL	30	+5	
F	0.8	+/-0.05	

Packaging Specifications		
Package Kind:	Bulk	
Package Quantity:	250	

General Information		
Manufacturer:	KEMET	
Miscellaneous Electrical:	Resistor tol: +/-30%	

Specifications		
Capacitance:	0.1 uF	
Rated Temperature:	85C	
Voltage @ rated temp:	630V	
Voltage AC:	250VAC	
Tolerance:	+/-20%	
Body Type:	Radial Molded	
Dielectric:	Metallized Paper	
Construction:	Wound	
Application:	Capacitor with Integrated Resistor (Safety: X2)	
Temperature Range:	-40/+85C	
Electrical Name (Other):	Resistor	
Electrical Value (Other):	100	
Electrical Units (Other):	Ohms	
Insulation Resistance:	3 GOhm	

Agency Approvals		
UL_1414:	250V	
IEC_60384-14:	250V	
EN_132400:	250V	

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

